



14 Green Leys
Downley
High Wycombe
Bucks
HP13 5UH

Telephone: 01494 464902
Mobile: 07442 500576
Email: info@bouncekrazee.com
www.bouncekrazee.com

Safety/Operating Instructions for Adult Assault Courses

It is the responsibility of the hirer to ensure that all possible steps are taken to avoid injury or damage to the inflatable and equipment. Please ensure that the following safety/operating instructions are followed:

1. Two responsible adults (over 18 years old) must supervise the assault courses and equipment at all times.
3. No person under the influence of alcohol and/or drugs and/or medicines are allowed to use, operate or supervise the inflatable or equipment.
4. No food or drinks to be consumed on the inflatable (to avoid choking and damage to the equipment). No water, foam or hose pipes to be used on the inflatable.
5. All shoes, badges, jewellery, (i.e. large earrings, necklaces etc.) MUST be removed. It is recommended that spectacles are removed.
6. No face-paints, party-poppers, coloured streamers or "silly string" must be used near or on the inflatable, as they make a terrible mess and permanently stain the units.
7. No somersaults, back or front flips. No rough play, bouncing off walls, wrestling or kicks.
8. Climbing, hanging, or sitting on the walls is dangerous and must not be allowed.
9. No smoking near the inflatable.
10. Ensure that the inflatable is not overcrowded and limit the numbers depending on age and size of the participants using it. Do not allow adults and children to use the inflatable at the same time, and do not allow large children to use the inflatable at the same time as small children. Some children require strict supervision. If the participants are colliding into each other, or the scramble net area is becoming congested then it is overcrowded and you need to reduce the number of participants immediately. The maximum capacity allowed to use this equipment at any one time is 10 participants.
11. If the inflatable is not being used for any part of the day, please switch the blower off at the mains.
12. Do not allow anyone to bounce on the front step. The step is there for the purpose of helping users to get on and off of the inflatable only.
13. Ensure that no one with a history of back or neck problems are allowed on the inflatable.
14. Do not allow users to be on the inflatable during inflation or deflation.
15. In the event of heavy rain or high winds exceeding 38km/h (23.6 mph), Force 5 Beaufort Scale, the unit should be switched off at the mains and deflated immediately and then re-inflated once the winds or heavy rain subside. (Beaufort Scale description = Fresh Breeze – Small trees in leaf begin to sway). Rain water, including bubbling, can be dried off with a towel and the unit can be used again if it stops raining or the wind level falls below that described above.
16. The blower at the back has a safety-reset button. In the event that it overheats, or loses power, switch the blower off at the mains, and then switch it back on again 1 or 2 minutes later, and it should restart. If it does not, or there is a power cut, inform us IMMEDIATELY. Keep children away from the blower and associated electrics which are located at the rear of the castle.
17. Ensure that the intake vent on the side of the blower is kept clear at all times.
18. The equipment is supplied with a residual current device (RCD), ensure that this is plugged into the electrical socket at all times during operation of the inflatable.
19. If you have any queries please contact us on the telephone numbers at the top of this page.





14 Green Leys
Downley
High Wycombe
Bucks
HP13 5UH

Telephone: 01494 464902
Mobile: 07442 500576
Email: info@bouncekrazee.com
www.bouncekrazee.com

Safety/Operating Instructions for Adult Bouncy Castles

It is the responsibility of the hirer to ensure that all possible steps are taken to avoid injury or damage to the inflatable and equipment. Please ensure that the following safety instructions are followed:

1. A responsible adult (over 18 years old) must supervise the inflatable and equipment at all times.
2. Adults and children must not use the equipment at the same time. Ensure younger children use the inflatable separately to older children.
3. No person under the influence of alcohol and/or drugs and/or medicines are allowed to use, operate or supervise the inflatable or equipment.
4. No food or drinks to be consumed on the inflatable (to avoid choking and damage to the equipment). No water, foam or hose pipes to be used on the inflatable.
5. All shoes, badges, jewellery, (i.e. large earrings, necklaces etc.) **MUST** be removed. It is recommended that spectacles are removed.
6. No face-paints, party-poppers, coloured streamers or "silly string" must be used near or on the inflatable, as they can make a terrible mess and permanently stain the unit.
7. No somersaults, back or front flips. No rough play, bouncing off walls, wrestling or kicks.
8. Climbing, hanging, or sitting on the walls is dangerous and must not be allowed.
9. No smoking near the inflatable.
10. Ensure that the inflatable is not overcrowded, and limit the numbers depending on size of people using it. If people are colliding into each other then it is too crowded. The maximum capacity allowed to use this equipment at any one time is 8. Some children require strict supervision.
11. If the inflatable is not being used for any part of the day, please switch the blower off at the mains.
12. Do not allow anyone to bounce on the front step. The step is there for the purpose of helping users to get on and off of the inflatable only.
13. Ensure that no one with a history of back or neck problems are allowed on the inflatable.
14. Do not allow users to be on the inflatable during inflation or deflation.
15. In the event of heavy rain or high winds exceeding 38km/h (23.6 mph), Force 5 Beaufort Scale, the unit should be switched off at the mains and deflated immediately and then re-inflated once the winds or heavy rain subside. (Beaufort Scale description = Fresh Breeze – Small trees in leaf begin to sway). Rain water, including bubbling, can be dried off with a towel and the unit can be used again if it stops raining or the wind level falls below that described above.
16. The blower at the back has a safety-reset button. In the event that it overheats, or loses power, switch the blower off at the mains, and then switch it back on again 1 or 2 minutes later, and it should restart. If it does not, or there is a power cut, inform us **IMMEDIATELY**. Keep children and adults away from the blower and associated electrics which are located at the rear of the castle.
17. Ensure that the intake vent on the side of the blower is kept clear at all times.
18. The equipment is supplied with a residual current device (RCD), ensure that this is plugged into the electrical socket at all times during operation of the inflatable.
19. If you have any queries, please contact us on one of the telephone numbers at the top of this page.



Risk Assessment - Assault Courses

HAZARD	EXISTING CONTROL MEASURES	HARM (1-5)	LIKELY HOOD (1-5)	RISK (1-5)	FURTHER CONTROLS TO REDUCE RISK	RISK ACCEPTABLE Y/N
Over enthusiastic participants	Adult supervision at all times	1	1	1	Adhere to supplied written safety/operating instructions.	Y
Injury	Adult supervision at all times	1	1	1	Adhere to supplied written safety/operating instructions. No somersaults, no rough play, no wrestling, no bouncing off walls, climbing walls or running from side to side against the walls. No person under the influence of alcohol/drugs/prescribed medicines to use, operate or supervise the unit.	Y
Injury caused by jumping off unit	Adult supervision at all times	1	1	1	Minimum of two compliant safety mats in front of unit exit. Do not allow bouncing on front step.	Y
Injury caused by collision of participants.	Adult supervision at all times.	1	1	1	Ensure the unit is not over-crowded and does not exceed the maximum capacity. Participants put into groups of similar size. Separate smaller children from larger children and adults (only if the unit is suitable for adults). Ensure an orderly queue is formed and controlled at the front of the assault course and limit the numbers through to ensure a safe continuous flow of users.	Y
Tripping over anchorage points/ spare equipment/ electrical cable	All anchor points used as per manufacturers instructions and spare equipment leads etc either stowed / erected safely	1	1	1	Where possible electrical cable should not cross any public pathway. If unavoidable cable on pathways to be secured by a mat or hazard tape.	Y
Risk of injury caused through lack of inflatable pressure	Do not allow anyone to be on the inflatable during inflation or deflation or through loss of power.	1	2	1	If power is lost the inflatable will deflate slowly. The supervisor must ensure that all participants vacate the equipment as soon as possible and ensure that it is only used again once the inflatable is fully inflated.	Y

Degree of Risk **LIKLIHOOD**

5 = Certain; 4 = Probable; 3 = Likely to Occur; 2 = May Occur; 1 = Unlikely to Occur

HARM – (suggestion)

5 = Fatality; 4 = Multiple fractures, head injury, electrocution;
3 = Fractures, serious cuts, eye injury; 2 = Cuts, grazes, bruising; 1 = No injury

Risk Assessment - Assault Courses

HAZARD	EXISTING CONTROL MEASURES	HARM (1-5)	LIKELY HOOD (1-5)	RISK (1-5)	FURTHER CONTROLS TO REDUCE RISK	RISK ACCEPTABLE Y/N
Slipping caused by wet units or wet front step in the event of rain	Wet step to be dried with a towel or rag to avoid slipping.	1	1	1	Front step or any wet areas to be wiped dry with an old towel or rag. Unit must be switched off in the event of heavy rain and only re-inflated and used again if the heavy rain subsides.	Y
Electric air blower/ electric extension reels Risk of electric shock	All electrical equipment to be regularly inspected and to have current PAT test certificates.	1	1	1	All participants to remain away from the electrical equipment.	Y
Risk of unit becoming unstable, falling over or moving in high winds	Trained staff to install unit and ensure that all anchor points are used and are securely in place using recommended ribbed anchor stakes.	3	1	1	In the event of high winds exceeding 38km/h (23.6 mph), Force 5 Beaufort Scale, the unit should be switched off at the mains and deflated immediately. Beaufort Scale description = Fresh Breeze (ie. small trees in leaf begin to sway). The unit can be re-inflated and used again only if the wind level falls below that described above.	Y
Risk in hot weather	Ensure socks are worn and where possible long sleeved shirts and leggings or trousers	1	1	1	No swimwear to be worn. We recommend if you have a shaded area within the required distance of the electric socket to advise us when we set up so that the equipment can be placed there. Under no circumstances must the equipment be moved or re-positioned by anyone other than our.	Y
Petrol Generator Risk of fire or burning	Safety fencing erected around petrol generator. Suitable fire extinguisher supplied.	2	1	1	All spare fuel stored in suitable container and in a safe location. Only competent persons to use and/or re-fuel petrol generator. Generator to be switched off during refuelling.	Y
RISK ASSESSMENT CARRIED OUT BY:		DATE: July 2023		ANY OTHER ACTION REQ:	Ensure that operators/supervisors follow written "Safety/Operating Instructions" as supplied.	

Risk Assessment - Inflatable Slides

HAZARD	EXISTING CONTROL MEASURES	HARM (1-5)	LIKELY HOOD (1-5)	RISK (1-5)	FURTHER CONTROLS TO REDUCE RISK	RISK ACCEPTABLE Y/N
Over enthusiastic participants	Adult supervision at all times	1	1	1	Adhere to supplied written safety/operating instructions.	Y
Injury	Adult supervision at all times	1	1	1	Adhere to supplied written safety/operating instructions. No somersaults, no rough play, no wrestling, no bouncing off walls or climbing walls. Do not bounce on top of slide. No sliding down safety walls. Do not slide down head first; only feet first. No person under the influence of alcohol/drugs/prescribed medicines to use, operate or supervise the unit.	Y
Injury caused by jumping off unit	Adult supervision at all times	1	1	1	Minimum of two compliant safety mats in front of unit exit. Do not allow bouncing on front step.	Y
Injury caused by collision of participants.	Adult supervision at all times.	1	1	1	Ensure the unit is not over-crowded and does not exceed the maximum capacity. Participants put into groups of similar size. Separate smaller children from larger children and adults (if the unit is suitable for adults). One user to slide down at a time to prevent collision into users below.	Y
Tripping over anchorage points/ spare equipment/ electrical cable	All anchor points used as per manufacturers instructions and spare equipment leads etc either stowed / erected safely	1	1	1	Where possible electrical cable should not cross any public pathway. If unavoidable cable on pathways to be secured by a mat or hazard tape.	Y
Risk of injury caused through lack of inflatable pressure	Do not allow anyone to be on the inflatable during inflation or deflation or through loss of power.	1	2	1	If power is lost the inflatable will deflate slowly. The supervisor must ensure that all participants vacate the equipment as soon as possible and ensure that it is only used again once the inflatable is fully inflated.	Y
Risk in hot weather	Ensure socks are worn and where possible long sleeved shirts and leggings or trousers	1	1	1	No swimwear to be worn. We recommend if you have a shaded area within the required distance of the electric socket to advise us when we set up so that the equipment can be placed there. Under no circumstances must the equipment be moved or re-positioned by anyone other than our staff.	Y

Risk Assessment - Inflatable Slides

HAZARD	EXISTING CONTROL MEASURES	HARM (1-5)	LIKELY HOOD (1-5)	RISK (1-5)	FURTHER CONTROLS TO REDUCE RISK	RISK ACCEPTABLE Y/N
Risk of unit becoming unstable, falling over or moving in high winds	Trained staff to install unit and ensure that all anchor points are used and are securely in place using recommended ribbed anchor stakes.	3	1	1	In the event of high winds exceeding 38km/h (23.6 mph), Force 5 Beaufort Scale, the unit should be switched off at the mains and deflated immediately. Beaufort Scale description = Fresh Breeze (ie. small trees in leaf begin to sway). The unit can be re-inflated and used again only if the wind level falls below that described above.	Y
Slipping caused by wet units in the event of rain	Wet areas to be dried with and old towel or rag to avoid slipping.	1	1	1	Any wet areas to be wiped dry with an old towel or rag. Unit must be switched off in the event of heavy rain and only re-inflated and used again if the heavy rain subsides.	Y
Electric air blower/ electric extension reels Risk of electric shock	All electrical equipment to be regularly inspected and to have current PAT test certificates.	1	1	1	All participants to remain away from the electrical equipment placed at the rear of the unit.	Y
Petrol Generator Risk of fire or burning	Safety fencing erected around petrol generator. Suitable fire extinguisher supplied.	2	1	1	All spare fuel stored in suitable container and in a safe location. Only competent persons to use and/or re-fuel petrol generator. Generator to be switched off during refuelling.	Y
RISK ASSESSMENT CARRIED OUT BY:		DATE: July 2023		ANY OTHER ACTION REQ:	Ensure that operators/supervisors follow written "Safety/Operating Instructions" as supplied.	Y



14 Green Leys
Downley
High Wycombe
Bucks HP13 5UH
Telephone: 01494 464902
Mobile: 07442 500576
Email: info@bouncekrazee.com
www.bouncekrazee.com

Safety/Operating Instructions for Slides

It is the responsibility of the hirer to ensure that all possible steps are taken to avoid injury or damage to the inflatable and equipment. Please ensure that the following instructions are followed:

1. A responsible adult (over 18 years old) must supervise the inflatable and equipment at all times.
2. All slides have an age limit of 14 years and under, except for the Rush slide which is for all ages. Users must use the slide in like-for-like age/size in single file, one at a time. There should be no more than 4 users on the slide at any time. Ensure that no one over the age of 14 uses the slide (except for the Rush slide).
3. No person under the influence of alcohol and/or drugs and/or medicines are allowed to use, operate or supervise the inflatable or equipment.
4. No food or drinks to be consumed on the inflatable (to avoid choking and damage to the equipment).
5. No water, foam or hose pipes to be used on the inflatable.
6. All shoes, badges, jewellery, (i.e. large earrings, necklaces etc.) **MUST** be removed. It is recommended that spectacles are removed.
7. No face-paints, party-poppers, coloured streamers or "silly string" must be used near or on the inflatable, as they can make a terrible mess and permanently stain the unit.
8. No somersaults, back or front flips. No pushing or rough play, bouncing off walls, wrestling or kicks.
9. Do not bounce on top of the slide, and do not slide into people below.
10. No jumping from the top of the slide. Never slide down head first only feet first.
11. Climbing, hanging, sitting or sliding down the safety walls is dangerous and must not be allowed.
12. No smoking near the inflatable.
13. The maximum capacity allowed on this equipment at any one time is 4, and it must be used in single file, one at a time. Do not allow large children and small children to use the slide at the same time. Children require strict supervision.
14. If the inflatable is not being used for any part of the day, please switch the blower off at the mains.
15. Do not allow anyone to bounce on the front step. The step is there for the purpose of helping users to get on and off of the inflatable only.
16. Ensure that no one with a history of back or neck problems are allowed on the inflatable.
17. Do not allow users to be on the inflatable during inflation or deflation.
18. In the event of heavy rain or high winds exceeding 38km/h (23.6 mph), Force 5 Beaufort Scale, the unit should be switched off at the mains and deflated immediately and then re-inflated once the winds or heavy rain subside. (Beaufort Scale description = Fresh Breeze – Small trees in leaf begin to sway). Rain water, including bubbling, can be dried off with a towel and the unit can be used again if it stops raining or the wind level falls below that described above.
19. The blower at the back has a safety-reset button. In the event that it overheats, or loses power, switch the blower off at the mains, and then switch it back on again 1 or 2 minutes later, and it should restart. If it does not, or there is a power cut, inform us **IMMEDIATELY**. Keep children away from the blower and associated electrics which are located at the rear of the castle.
20. Ensure that the intake vent on the side of the blower is kept clear at all times.
21. The equipment is supplied with a residual current device (RCD), ensure that this is plugged into the electrical socket at all times during operation of the inflatable.
22. If you have any queries, please contact us on one of the telephone numbers at the top of this page.


IMPORTANT: PLEASE ALSO READ REVERSE




- NO ADULTS OR CHILDREN OVER 14 ON SLIDES (except for the Rush slide)
- FULL CLOTHING TO BE WORN TO AVOID ABRASION
- NO SOMERSAULTS OR FLIPPING
- SLIDE FEET FIRST ONLY, DO NOT GO DOWN HEAD FIRST
- SLIDE DOWN THE CENTRE OF THE SLIDE TO AVOID WALLS
- NO SHOES OR SHARP OBJECTS
- NO SPECTACLES AND NO JEWELLERY

- NO FOOD OR DRINK
- NO CHEWING OR EATING
- NO PARTY POPPERS
- NO FACEPAINTS
- NO SILLY STRING
- NO SILLY STRING
- NO PETS


NEVER LEAVE CHILDREN UNATTENDED




NO JUMPING FROM TOP OF SLIDE.




NO ADULTS.




NO SLIDING DOWN SAFETY WALL.




ADULT MUST SUPERVISE AT ALL TIMES.



DO NOT SLIDE INTO PEOPLE BELOW.



SWITCH OFF IN BAD WEATHER.




NO ROUGH PLAY, PUSHING, BOUNCING OFF WALLS.




DO NOT BOUNCE ON TOP OF SLIDE.



DO NOT REPOSITION INFLATABLE.



DO NOT OVERCROWD.



NEVER SLIDE DOWN HEAD FIRST. ONLY FEET FIRST.

ADULT/TEENAGE SUMO SUITS

AGE 12+

MINIMUM OF TWO SUPERVISORS

PLUS EXTRA FOR QUEUES



GLADIATOR DUEL

ALL AGES

TWO CONTESTANTS AT A TIME

MINIMUM OF 2 SUPERVISORS

PLUS EXTRA FOR QUEUES



HUMAN DEMOLITION

ALL AGES

FOUR PERSONS AT ANY TIME

MIN OF TWO SUPERVISORS

PLUS EXTRA FOR QUEUES



RED AND BLACK BOUNCY CASTLE
ALL AGES

MIN OF TWO SUPERVISORS
PLUS EXTRA FOR QUEUES



RUSH SLIDE
ALL AGES
MIN 2 SUPERVISORS
PLUS EXTRA FOR QUEUES



WHOPPER ASSAULT COURSE

ALL AGES

MIN 4 SUPERVISORS

PLUS EXTRA FOR QUEUES



SWEEPER
ALL AGES
8 PLAYERS MAX
MIN 2 SUPERVISORS
PLUS EXTRA FOR QUEUES



WILDLIFE ASSAULT COURSE

UP TO AGE 14

MIN 2 SUPERVISORS

PLUS EXTRA FOR QUEUES



WILDLIFE COMBI
UP TO AGE 12
MIN 2 SUPERVISORS
PLUS EXTRA FOR QUEUES



PENALTY SHOOT OUT
ALL AGES
MIN 2 SUPERVISORS
PLUS EXTRA FOR QUEUES



CONNECT FOUR
ALL AGES
MIN OF 2 SUPERVISORS



GIANT JENGA
ALL AGES
MIN OF 2 SUPERVISORS

